



PINGZHOU

FOLDABLE POSTER LED DISPLAY

PIF SERIES





PINGZHOU

PIF SERIES

Pixel Pitch: P1.25 P1.53 P1.86 P2 P2.5


Display Size: 640*1920mm

Cabinet Size: 640*480mm

Module Size: 320*160mm

Brightness: 600-800cd/m²

Refresh Rate: 3840Hz



Easy to Move



5000:1 High Contrast Ratio



Plug and Play



Front Maintenance



Wide Viewing Angle




Energy Conservation



PINGZHOU

DIMENSIONS




Foldable Design

Foldable backwards, magnetic edging for convenient and quick installation



PINGZHOU

Strong magnet




Front Maintenance Design

Adopting magnetic module design, easy and fast installation



PINGZHOU





PINGZHOU

Base With Wheels

The base uses high-end t, which are more mobile and stable and safer to use.



Fuma wheels




Seamless Splicing Screen Display

Supports either individual and combination display as video wall




PINGZHOU



(Up to 8 LED screens can be spliced)

MULTIPLE MODULE PROCESSES ARE AVAILABLE FOR SELECTION




COB LED module

Advantages:

High reliability: No gold wire bonding; strong resistance to static electricity and physical impact.

High protection level: Dustproof, waterproof, impact-resistant, and oxidation-resistant; ideal for humid and dusty environments.

Uniform display: Integrated surface ensures wide viewing angles and excellent color consistency.



GOB LED module

Advantages:

Excellent protection: Dustproof, waterproof, impact-resistant, and moisture-proof; suitable for harsh environments like outdoors and public spaces.

Scratch and pressure resistance: Glue layer protects LEDs from damage.

Easy maintenance: Damaged LEDs can be replaced individually without changing the entire board.



HOB LED module


Advantages:

Superior Protection: Offers waterproofing, dustproofing, impact resistance, anti-static, and moisture resistance.

Higher Brightness & Contrast: The transparent layer has excellent optical clarity, with true-to-life colors and deep blacks.

Low Failure Rate: LEDs are well-protected from falling off or damage.

Easy to Clean & Maintain: Smooth, seamless surface is easy to wipe and resistant to dust buildup.



SMD LED module

Advantages:

Mature and stable technology: High production efficiency.

Cost-effective: Suitable for large-scale manufacturing.

Good color uniformity: Integrated RGB chip design provides even light output.

Versatile applications: Suitable for indoor/outdoor fixed installations, rental, and creative displays.



PINGZHOU

Smart Cloud Management

LED screen content can be updated via iPad, mobile phone, PC or laptop.
Play in real time and publish across platforms. Supports UsB or WIFI, supports
IOS or Android device operation.



USB



RJ45



Computer



Cloud



HDMI Sync



Viplex Handy APP



Basic Control Methods

- 1, PC control(RJ45 Cable)
- 2, PC control(wiFi)
- 3, Mobile phone(wiFi)
- 4, USB flash

Multiple Control Via CMS Server

- 1, LAN
- 2, WiFi
- 3, 4G



PINGZHOU

3840Hz Refresh Rate

Wide color gamut, uniform color, no rainbow effect, delicate and soft picture






PINGZHOU

WIDE VIEWING ANGLE

140° wide viewing. Deliver an excellent viewing experience without the loss of true colour definition.



140°



PINGZHOU

5000:1 HIGH CONTRAST

High contrast ratio expands the color dynamic range, making the picture more vivid and lifelike





PINGZHOU



SPECIFICATIONS

Pixel pitch(mm)	P1.25	P1.53	P1.86	P2	P2.5
LED package	COB/GOB/HOB/SMD	COB/GOB/HOB/SMD	COB/GOB/HOB/SMD	GOB/HOB/SMD	GOB/HOB/SMD
Module resolution (W×H)	256×128pixels	208×104pixels	172×86pixels	160×80pixels	128×64pixels
Module dimension (W×H)	320mm×160mm				
Display dimension (W×H)	640×1920mm				
Module arrangement (W×H)	2×12				
Cabinet flatness	≤0.1mm				
Cabinet dimensions(W×H)	640mm×480mm				
Weight	≤57.5kg				
Serviceability	Front-access				
Physical density	640,000dots/m²	422,500dots/m²	289,050dots/m²	250000dots/m²	160,000dots/m²
Brightness	600-800cd/m² (adjustable)				
Viewing angle (H/V)	140°/140°				
Screen flatness	≥98%				
Chromaticity uniformity	±0.003				
Contrast ratio(max)	5,000:1				
IP rating	IP43				
Color depth	14-16bit				
Driving mode	1/43S				
Refresh rate	≥3,840Hz				
Color temperature	2,000K-9,500K(adjustable)				
Input voltage	AC: 110V-240V, 50-60Hz				
Max. power consumption	≤600W/m²				
Ave. power consumption	160W/m² - 265W/m²				
MTBF	≥10,000hrs				
Operating environment - Temperature	-10℃ - +60℃				
Operating environment - Humidity	30% -75%RH (no condensation)				



PINGZHOU

APPLICATION





PINGZHOU

PACKAGING



1in1:92kg



1in2:150kg

CERTIFICATE



IEC

VERIFICATION OF CONFORMANCE

TEST REPORT

Report No.: BCTC2207738761SN1

Applicant: SHENZHEN DDW TECHNOLOGY CO., LTD

Product Name: LED VIDEO WALL

Product Type: DDW-LW550DUNTMA4

Tested Date: 2024-01-22 to 2025-02-24

Issued Date: 2025-02-24

Shenzhen BCTC Testing Co., Ltd

BCTC

TEST REPORT

Report No.: BCTC2207738761SN1

Applicant: SHENZHEN DDW TECHNOLOGY CO., LTD

Product Name: LED VIDEO WALL

Product Type: DDW-LW550DUNTMA4

Tested Date: 2024-01-22 to 2025-02-24

Issued Date: 2025-02-24

Shenzhen BCTC Testing Co., Ltd

QMS CERTIFICATE OF REGISTRATION

Registration No.: 12824Q21369R0S

This is to certify that the Quality Management System of

SHENZHEN DDW TECHNOLOGY CO.,LTD

Unified social credit code:91440300055133476P

201, Building 8, Yilisheng Industrial Park, No. 602 Fengfang Avenue, Tangwei Community, Fuhai Street, Bao'an District, Shenzhen City, Guangdong Province

Has been audited to conform to the following Quality Management System Standard:

GB/T19001-2016/ISO9001:2015

For the whole process of

Production of electronic products (LED DISPLAY, LCD VIDEO WALL, DIGITAL SIGNAGE) (export only)

DATE OF ISSUE: 10-10-2024 DATE OF SUPERVISION : 10-10-2024 VALID UNTIL: 10-09-2027

Certified organizations within the validity period of the certificate surveillance audit at least once a year

This certificate is valid until 09-27-2025

The certificate information is available in the certification and accreditation administration of the P.R.C.'s official website: www.cnca.gov.cn

IAF **CNAS** **CSI**

中国认可 国际互认 管理体系 管理体系 CNAS C128-M

No.21, No.4 Yard, Yuetanbeikaojie Street, Xipeng District, Beijing, 010-68017408

Certificate of Compliance

Certificate No.: BKC-160901297

Applicant: Shenzhen DDW Technology Co., Ltd

Manufacturer: Shenzhen DDW Technology Co., Ltd

Product: LED full color display

Model: P4, P4.8, P5, P5.2, P5.5, P5.8, P6, P6.2, P6.5, P6.8, P7, P7.2, P7.5, P7.8, P8, P8.2, P8.5, P8.8, P9, P9.2, P9.5, P9.8, P10, P10.2, P10.5, P10.8, P11, P11.2, P11.5, P11.8, P12, P12.2, P12.5, P12.8, P13, P13.2, P13.5, P13.8, P14, P14.2, P14.5, P14.8, P15, P15.2, P15.5, P15.8, P16, P16.2, P16.5, P16.8, P17, P17.2, P17.5, P17.8, P18, P18.2, P18.5, P18.8, P19, P19.2, P19.5, P19.8, P20, P20.2, P20.5, P20.8, P21, P21.2, P21.5, P21.8, P22, P22.2, P22.5, P22.8, P23, P23.2, P23.5, P23.8, P24, P24.2, P24.5, P24.8, P25, P25.2, P25.5, P25.8, P26, P26.2, P26.5, P26.8, P27, P27.2, P27.5, P27.8, P28, P28.2, P28.5, P28.8, P29, P29.2, P29.5, P29.8, P30, P30.2, P30.5, P30.8, P31, P31.2, P31.5, P31.8, P32, P32.2, P32.5, P32.8, P33, P33.2, P33.5, P33.8, P34, P34.2, P34.5, P34.8, P35, P35.2, P35.5, P35.8, P36, P36.2, P36.5, P36.8, P37, P37.2, P37.5, P37.8, P38, P38.2, P38.5, P38.8, P39, P39.2, P39.5, P39.8, P40, P40.2, P40.5, P40.8, P41, P41.2, P41.5, P41.8, P42, P42.2, P42.5, P42.8, P43, P43.2, P43.5, P43.8, P44, P44.2, P44.5, P44.8, P45, P45.2, P45.5, P45.8, P46, P46.2, P46.5, P46.8, P47, P47.2, P47.5, P47.8, P48, P48.2, P48.5, P48.8, P49, P49.2, P49.5, P49.8, P50, P50.2, P50.5, P50.8, P51, P51.2, P51.5, P51.8, P52, P52.2, P52.5, P52.8, P53, P53.2, P53.5, P53.8, P54, P54.2, P54.5, P54.8, P55, P55.2, P55.5, P55.8, P56, P56.2, P56.5, P56.8, P57, P57.2, P57.5, P57.8, P58, P58.2, P58.5, P58.8, P59, P59.2, P59.5, P59.8, P60, P60.2, P60.5, P60.8, P61, P61.2, P61.5, P61.8, P62, P62.2, P62.5, P62.8, P63, P63.2, P63.5, P63.8, P64, P64.2, P64.5, P64.8, P65, P65.2, P65.5, P65.8, P66, P66.2, P66.5, P66.8, P67, P67.2, P67.5, P67.8, P68, P68.2, P68.5, P68.8, P69, P69.2, P69.5, P69.8, P70, P70.2, P70.5, P70.8, P71, P71.2, P71.5, P71.8, P72, P72.2, P72.5, P72.8, P73, P73.2, P73.5, P73.8, P74, P74.2, P74.5, P74.8, P75, P75.2, P75.5, P75.8, P76, P76.2, P76.5, P76.8, P77, P77.2, P77.5, P77.8, P78, P78.2, P78.5, P78.8, P79, P79.2, P79.5, P79.8, P80, P80.2, P80.5, P80.8, P81, P81.2, P81.5, P81.8, P82, P82.2, P82.5, P82.8, P83, P83.2, P83.5, P83.8, P84, P84.2, P84.5, P84.8, P85, P85.2, P85.5, P85.8, P86, P86.2, P86.5, P86.8, P87, P87.2, P87.5, P87.8, P88, P88.2, P88.5, P88.8, P89, P89.2, P89.5, P89.8, P90, P90.2, P90.5, P90.8, P91, P91.2, P91.5, P91.8, P92, P92.2, P92.5, P92.8, P93, P93.2, P93.5, P93.8, P94, P94.2, P94.5, P94.8, P95, P95.2, P95.5, P95.8, P96, P96.2, P96.5, P96.8, P97, P97.2, P97.5, P97.8, P98, P98.2, P98.5, P98.8, P99, P99.2, P99.5, P99.8, P100, P100.2, P100.5, P100.8, P101, P101.2, P101.5, P101.8, P102, P102.2, P102.5, P102.8, P103, P103.2, P103.5, P103.8, P104, P104.2, P104.5, P104.8, P105, P105.2, P105.5, P105.8, P106, P106.2, P106.5, P106.8, P107, P107.2, P107.5, P107.8, P108, P108.2, P108.5, P108.8, P109, P109.2, P109.5, P109.8, P110, P110.2, P110.5, P110.8, P111, P111.2, P111.5, P111.8, P112, P112.2, P112.5, P112.8, P113, P113.2, P113.5, P113.8, P114, P114.2, P114.5, P114.8, P115, P115.2, P115.5, P115.8, P116, P116.2, P116.5, P116.8, P117, P117.2, P117.5, P117.8, P118, P118.2, P118.5, P118.8, P119, P119.2, P119.5, P119.8, P120, P120.2, P120.5, P120.8, P121, P121.2, P121.5, P121.8, P122, P122.2, P122.5, P122.8, P123, P123.2, P123.5, P123.8, P124, P124.2, P124.5, P124.8, P125, P125.2, P125.5, P125.8, P126, P126.2, P126.5, P126.8, P127, P127.2, P127.5, P127.8, P128, P128.2, P128.5, P128.8, P129, P129.2, P129.5, P129.8, P130, P130.2, P130.5, P130.8, P131, P131.2, P131.5, P131.8, P132, P132.2, P132.5, P132.8, P133, P133.2, P133.5, P133.8, P134, P134.2, P134.5, P134.8, P135, P135.2, P135.5, P135.8, P136, P136.2, P136.5, P136.8, P137, P137.2, P137.5, P137.8, P138, P138.2, P138.5, P138.8, P139, P139.2, P139.5, P139.8, P140, P140.2, P140.5, P140.8, P141, P141.2, P141.5, P141.8, P142, P142.2, P142.5, P142.8, P143, P143.2, P143.5, P143.8, P144, P144.2, P144.5, P144.8, P145, P145.2, P145.5, P145.8, P146, P146.2, P146.5, P146.8, P147, P147.2, P147.5, P147.8, P148, P148.2, P148.5, P148.8, P149, P149.2, P149.5, P149.8, P150, P150.2, P150.5, P150.8, P151, P151.2, P151.5, P151.8, P152, P152.2, P152.5, P152.8, P153, P153.2, P153.5, P153.8, P154, P154.2, P154.5, P154.8, P155, P155.2, P155.5, P155.8, P156, P156.2, P156.5, P156.8, P157, P157.2, P157.5, P157.8, P158, P158.2, P158.5, P158.8, P159, P159.2, P159.5, P159.8, P160, P160.2, P160.5, P160.8, P161, P161.2, P161.5, P161.8, P162, P162.2, P162.5, P162.8, P163, P163.2, P163.5, P163.8, P164, P164.2, P164.5, P164.8, P165, P165.2, P165.5, P165.8, P166, P166.2, P166.5, P166.8, P167, P167.2, P167.5, P167.8, P168, P168.2, P168.5, P168.8, P169, P169.2, P169.5, P169.8, P170, P170.2, P170.5, P170.8, P171, P171.2, P171.5, P171.8, P172, P172.2, P172.5, P172.8, P173, P173.2, P173.5, P173.8, P174, P174.2, P174.5, P174.8, P175, P175.2, P175.5, P175.8, P176, P176.2, P176.5, P176.8, P177, P177.2, P177.5, P177.8, P178, P178.2, P178.5, P178.8, P179, P179.2, P179.5, P179.8, P180, P180.2, P180.5, P180.8, P181, P181.2, P181.5, P181.8, P182, P182.2, P182.5, P182.8, P183, P183.2, P183.5, P183.8, P184, P184.2, P184.5, P184.8, P185, P185.2, P185.5, P185.8, P186, P186.2, P186.5, P186.8, P187, P187.2, P187.5, P187.8, P188, P188.2, P188.5, P188.8, P189, P189.2, P189.5, P189.8, P190, P190.2, P190.5, P190.8, P191, P191.2, P191.5, P191.8, P192, P192.2, P192.5, P192.8, P193, P193.2, P193.5, P193.8, P194, P194.2, P194.5, P194.8, P195, P195.2, P195.5, P195.8, P196, P196.2, P196.5, P196.8, P197, P197.2, P197.5, P197.8, P198, P198.2, P198.5, P198.8, P199, P199.2, P199.5, P199.8, P200, P200.2, P200.5, P200.8, P201, P201.2, P201.5, P201.8, P202, P202.2, P202.5, P202.8, P203, P203.2, P203.5, P203.8, P204, P204.2, P204.5, P204.8, P205, P205.2, P205.5, P205.8, P206, P206.2, P206.5, P206.8, P207, P207.2, P207.5, P207.8, P208, P208.2, P208.5, P208.8, P209, P209.2, P209.5, P209.8, P210, P210.2, P210.5, P210.8, P211, P211.2, P211.5, P211.8, P212, P212.2, P212.5, P212.8, P213, P213.2, P213.5, P213.8, P214, P214.2, P214.5, P214.8, P215, P215.2, P215.5, P215.8, P216, P216.2, P216.5, P216.8, P217, P217.2, P217.5, P217.8, P218, P218.2, P218.5, P218.8, P219, P219.2, P219.5, P219.8, P220, P220.2, P220.5, P220.8, P221, P221.2, P221.5, P221.8, P222, P222.2, P222.5, P222.8, P223, P223.2, P223.5, P223.8, P224, P224.2, P224.5, P224.8, P225, P225.2, P225.5, P225.8, P226, P226.2, P226.5, P226.8, P227, P227.2, P227.5, P227.8, P228, P228.2, P228.5, P228.8, P229, P229.2, P229.5, P229.8, P230, P230.2, P230.5, P230.8, P231, P231.2, P231.5, P231.8, P232, P232.2, P232.5, P232.8, P233, P233.2, P233.5, P233.8, P234, P234.2, P234.5, P234.8, P235, P235.2, P235.5, P235.8, P236, P236.2, P236.5, P236.8, P237, P237.2, P237.5, P237.8, P238, P238.2, P238.5, P238.8, P239, P239.2, P239.5, P239.8, P240, P240.2, P240.5, P240.8, P241, P241.2, P241.5, P241.8, P242, P242.2, P242.5, P242.8, P243, P243.2, P243.5, P243.8, P244, P244.2, P244.5, P244.8, P245, P245.2, P245.5, P245.8, P246, P246.2, P246.5, P246.8, P247, P247.2, P247.5, P247.8, P248, P248.2, P248.5, P248.8, P249, P249.2, P249.5, P249.8, P250, P250.2, P250.5, P250.8, P251, P251.2, P251.5, P251.8, P252, P252.2, P252.5, P252.8, P253, P253.2, P253.5, P253.8, P254, P254.2, P254.5, P254.8, P255, P255.2, P255.5, P255.8, P256, P256.2, P256.5, P256.8, P257, P257.2, P257.5, P257.8, P258, P258.2, P258.5, P258.8, P259, P259.2, P259.5, P259.8, P260, P260.2, P260.5, P260.8, P261, P261.2, P261.5, P261.8, P262, P262.2, P262.5, P262.8, P263, P263.2, P263.5, P263.8, P264, P264.2, P264.5, P264.8, P265, P265.2, P265.5, P265.8, P266, P266.2, P266.5, P266.8, P267, P267.2, P267.5, P267.8, P268, P268.2, P268.5, P268.8, P269, P269.2, P269.5, P269.8, P270, P270.2, P270.5, P270.8, P271, P271.2, P271.5, P271.8, P272, P272.2, P272.5, P272.8, P273, P273.2, P273.5, P273.8, P274, P274.2, P274.5, P274.8, P275, P275.2, P275.5, P275.8, P276, P276.2, P276.5, P276.8, P277, P277.2, P277.5, P277.8, P278, P278.2, P278.5, P278.8, P279, P279.2, P279.5, P279.8, P280, P280.2, P280.5, P280.8, P281, P281.2, P281.5, P281.8, P282, P282.2, P282.5, P282.8, P283, P283.2, P283.5, P283.8, P284, P284.2, P284.5, P284.8, P285, P285.2, P285.5, P285.8, P286, P286.2, P286.5, P286.8, P287, P287.2, P287.5, P287.8, P288, P288.2, P288.5, P288.8, P289, P289.2, P289.5, P289.8, P290, P290.2, P290.5, P290.8, P291, P291.2, P291.5, P291.8, P292, P292.2, P292.5, P292.8, P293, P293.2, P293.5, P293.8, P294, P294.2, P294.5, P294.8, P295, P295.2, P295.5, P295.8, P296, P296.2, P296.5, P296.8, P297, P297.2, P297.5, P297.8, P298, P298.2, P298.5, P298.8, P299, P299.2, P299.5, P299.8, P300, P300.2, P300.5, P300.8, P301, P301.2, P301.5, P301.8, P302, P302.2, P302.5, P302.8, P303, P303.2, P303.5, P303.8, P304, P304.2, P304.5, P304.8, P305, P305.2, P305.5, P305.8, P306, P306.2, P306.5, P306.8, P307, P307.2, P307.5, P307.8, P308, P308.2, P308.5, P308.8, P309, P309.2, P309.5, P309.8, P310, P310.2, P310.5, P310.8, P311, P311.2, P311.5, P311.8, P312, P312.2, P312.5, P312.8, P313, P313.2, P313.5, P313.8, P314, P314.2, P314.5, P314.8, P315, P315.2, P315.5, P315.8, P316, P316.2, P316.5, P316.8, P317, P317.2, P317.5, P317.8, P318, P318.2, P318.5, P318.8, P319, P319.2, P319.5, P319.8, P320, P320.2, P320.5, P320.8, P321, P321.2, P321.5, P321.8, P322, P322.2, P322.5, P322.8, P323, P323.2, P323.5, P323.8, P324, P324.2, P324.5, P324.8, P325, P325.2, P325.5, P325.8, P326, P326.2, P326.5, P326.8, P327, P327.2, P327.5, P327.8, P328, P328.2, P328.5, P328.8, P329, P329.2, P329.5, P329.8, P330, P330.2, P330.5, P330.8, P331, P331.2, P331.5, P331.8, P332, P332.2, P332.5, P332.8, P333, P333.2, P333.5, P333.8, P334, P334.2, P334.5, P334.8, P335, P335.2, P335.5, P335.8, P336, P336.2, P336.5, P336.8, P337, P337.2, P337.5, P337.8, P338, P338.2, P338.5, P338.8, P339, P339.2, P339.5, P339.8, P340, P340.2, P340.5, P340.8, P341, P341.2, P341.5, P341.8, P342, P342.2, P342.5, P342.8, P343, P343.2, P343.5, P343.8, P344, P344.2, P344.5, P344.8, P345, P345.2, P345.5, P345.8, P346, P346.2, P346.5, P346.8, P347, P347.2, P347.5, P347.8, P348, P348.2, P348.5, P348.8, P349, P349.2, P349.5, P349.8, P350, P350.2, P350.5, P350.8, P351, P351.2, P351.5, P351.8, P352, P352.2, P352.5, P352.8, P353, P353.2, P353.5, P353.8, P354, P354.2, P354.5, P354.8, P355, P355.2, P355.5, P355.8, P356, P356.2, P356.5, P356.8, P357, P357.2, P357.5, P357.8, P358, P358.2, P358.5, P358.8, P359, P359.2, P359.5, P359.8, P360, P360.2, P360.5, P360.8, P361, P361.2, P361.5, P361.8, P362, P362.2, P362.5, P362.8, P363, P363.2, P363.5, P363.8, P364, P364.2, P364.5, P364.8, P365, P365.2, P365.5, P365.8, P366, P366.2, P366.5, P366.8, P367, P367.2, P367.5, P367.8, P368, P368.2, P368.5, P368.8, P369, P369.2, P369.5, P369.8, P370, P370.2, P370.5, P370.8, P371, P371.2, P371.5, P371.8, P372, P372.2, P372.5, P372.8, P373, P373.2, P373.5, P373.8, P374, P374.2, P374.5, P374.8, P375, P375.2, P375.5, P375.8, P376, P376.2, P376.5, P376.8, P377, P377.2, P377.5, P377.8, P378, P378.2, P378.5, P378.8, P379, P379.2, P379.5, P379.8, P380, P380.2, P380.5, P380.8, P381, P381.2, P381.5, P381.8, P382, P382.2, P382.5, P382.8, P383, P383.2, P383.5, P383.8, P384, P384.2, P384.5, P384.8, P385, P385.2, P385.5, P385.8, P386, P386.2, P386.5, P386.8, P387, P387.2, P387.5, P387.8, P388, P388.2, P388.5, P388.8, P389, P389.2, P389.5, P389.8, P390, P390.2, P390.5, P390.8, P391, P391.2, P391.5, P391.8, P392, P392.2, P392.5, P392.8, P393, P393.2, P393.5, P393.8, P394, P394.2, P394.5, P394.8, P395, P395.2, P395.5, P395.8, P396, P396.2, P396.5, P396.8, P397, P397.2, P397.5, P397.8, P398, P398.2, P398.5, P398.8, P399, P399.2, P399.5, P399.8, P400, P400.2, P400.5, P400.8, P401, P401.2, P401.5, P401.8, P402, P402.2, P402.5, P402.8, P403, P403.2, P403.5, P403.8, P404, P404.2, P404.5, P404.8, P405, P405.2, P405.5, P405.8, P406, P406.2, P406.5, P406.8, P407, P407.2, P407.5, P407.8, P408, P408.2, P408.5, P408.8, P409, P409.2, P409.5, P409.8, P410, P410.2, P410.5, P410.8, P411, P411.2, P411.5, P411.8, P412, P412.2, P412.5, P412.8, P413, P413.2, P413.5, P413.8, P414, P414.2, P414.5, P414.8, P415, P415.2, P415.5, P415.8, P416, P416.2, P416.5, P416.8, P417, P417.2, P417.5, P417.8, P418, P418.2, P418.5, P418.8, P419, P419.2, P419.5, P419.8, P420, P420.2, P420.5, P420.8, P421, P421.2, P421.5, P421.8, P422, P422.2, P422.5, P422.8, P423, P423.2, P423.5, P423.8, P424, P424.2, P424.5, P424.8, P425, P425.2, P425.5, P425.8, P426, P426.2, P426.5, P426.8, P427, P427.2, P427.5, P427.8, P428, P428.2, P428.5, P428.8, P429, P429.2, P429.5, P429.8, P430, P430.2, P430.5, P430.8, P431, P431.2, P431.5, P431.8, P432, P432.2, P432.5, P432.8, P433, P433.2, P433.5, P433.8, P434, P434.2, P434.5, P434.8, P435, P435.2, P435.5, P435.8, P436, P436.2, P436.5, P436.8, P437, P437.2, P437.5, P437.8, P438, P438.2, P438.5, P438.8, P439, P439.2, P439.5, P439.8, P440, P440.2, P440.5, P440.8, P441, P441.2, P441.5, P441.8, P442, P442.2, P442.5, P442.8, P443, P443.2, P443.5, P443.8, P444, P444.2, P444.5, P444.8, P445, P445.2, P445.5, P445.8, P446, P446.2, P446.5, P446.8, P447, P447.2, P447.5, P447.8, P448, P448.2, P448.5, P448.8, P449, P449.2, P449.5, P449.8, P450, P450.2, P450.5, P450.8, P451, P451.2, P451.5, P451.8, P452, P452.2, P452.5, P452.8, P453, P453.2, P453.5, P453.8, P454, P454.2, P454.5, P454.8, P455, P455.2, P455.5, P455.8, P456, P456.2, P456.5, P456.8, P457, P457.2, P



PINGZHOU

5 YEARS WARRANTY

Common warranty in LED field is 2 years, ours is 5
Longer warranty periods, better after-sale services
worry-free user experience



OEM&ODM

1000+
Projects

5 days
Fast delivery



Door to door

3D

Installation video



Sample support





PINGZHOU

CONTACT US

Henan Pingzhou Optoelectronic Technology Co., Ltd.



+86 17700629730



17516191893@163.com



China Henan zhengzhou

**1-523, Zone 8a, Huanan City, North Of Huannan City
Second Road, East Of Qiushi Road, Longhu Town**